


# Lighting & Magnification

The right light



## System 273 Binocular Microscope

This system features a binocular stereo-zoom microscope with dual boom ball-bearing stand and dimmable LED ring light. It offers 8" working distance and a 15% greater field of view. A 26" stainless steel horizontal boom extension and 19.5" vertical boom are mounted to a 10" die-cast base. Extensive flexibility and adjustability allow this microscope to alter angles up to 45°; the head can be rotated 360°. Dimmable LED ring light maximizes light output while preventing harmful glare and reflections. Modular construction paired with Pure-white 40 LED display and 6000°K color temperature. Removable/replaceable diffuser makes cleaning easy. Dimmable to 15% output. 50,000 hour lumen maintenance.




No. LUX-23727RB .....\$2025.00  
 No. LUX-23750 23mm, 0.5X Reducing Lens .....\$125.00



## VIP Microscope (Variable Inclination Position)

Say goodbye to neck and muscle fatigue! Ergonomic eyepiece adjusts from 0° - 30° to comfortably accommodate every user. 23mm optics system with a 186mm working distance (with 0.5X reducing lens included). 8X - 50X magnification (4X - 25X with 0.5X lens). Ideal for a diverse range of inspection applications. Includes: 26" Dual Boom Ball-Bearing Stand and 0.5X reducing lens.



System 273RB VIP Microscope (Lighting sold separately)

No. LUX-23814RB .....\$3225.00  
 System 273RB-RLI VIP Microscope with Fiber Optic Illuminator Ring Light  
 No. LUX-23811RB .....\$3775.00  
 System 273RB-DMLED VIP Microscope with Dimmable LED Ring Light  
 No. LUX-23827RB .....\$3990.00

## System 373 TRU Trinocular Microscope

23mm optics system, greater working distance, large field of view and higher magnification than comparable System 350 models. Lets user simultaneously view images on screen and through the eyepieces. Includes: TRU trinocular S-Z microscope, Dual boom ball-bearing stand, dimmable LED-high output ring light, video adapter with 0.5X lens and USB 2.0 STD camera.



No. LUX-23725RB-USBSRTR .....\$4005.00  
 No. LUX-23750 23mm, 0.5X Reducing Lens .....\$125.00

## MicroLux Stereo Microscope

Affordable stereo microscope with 26" adjustable arm and individually controllable dual 5 watt halogen lights. 1X and 2X objectives for 10X - 20X magnification. With optional 0.5X reducing lens, magnification is increased to 5X - 20X. At 5X magnification, the microscope has an 8.7" (221 mm) working distance and complies with MIL-STD-2000, DOD-STD-2000, WS-6536E and MIL-S-45743E. 5-year warranty.



No. LUX-18550LG With Edge Clamp .....\$890.00  
 No. LUX-18551LG With Surface Mount Bracket .....\$890.00  
 No. LUX-18555LG With Weighted Base .....\$960.00  
 No. LUX-18750 0.5X Reducing Lens .....\$135.00

The right light



## MIDAS® Inspection System

Luxo's MIDAS® (Microscope Inspection Digital Application System) is a horizontally positionable ESD-Safe digital handheld inspection system which provides a versatile way of capturing and documenting images using a polarizing filter and 1.3 MP USB Camera. With a magnification range of 10X to 200X and an 1/4" Color CMOS image sensor, this system is ideal for assembly, repair, inspection, leak detection, document authenticity, criminology, museum and artwork restoration, currency verification and gemstone and mineral examination. MIDAS® can be used alone or is available with either a 13.8" gooseneck arm or an adjustable boomstand (9.8" horizontal and 11.6" vertical reach).

### Features:

- Wide range adjustable magnification from 10X to 200X
- Built-in six white-light LED displays & adjustable illumination ensures clear and bright images
- High-quality polarizing filter lens reduces glare for true undistorted color images
- ESD-Safe

Cat. No.	Description	Price
LUX-MIDAS-ST	MIDAS™ USB 2.0 Camera Inspection System with polarizing lens and Boom stand	\$475.00
LUX-MIDAS-GS	MIDAS™ USB 2.0 Camera Inspection System with polarizing lens and Gooseneck stand	\$355.00
LUX-MIDAS	MIDAS™ USB 2.0 Camera with polarizing lens	\$285.00
A LUX-18781	Boom Stand	\$190.00
B LUX-18780	Gooseneck Stand	\$70.00



# Lighting & Magnification



O.C.White Co.



## Ergo-Zoom Microscope

Common main objective offers a crisper, distortion-free image, as well as a much flatter field of view, for the highest quality image you can achieve with a microscope. Ergonomic eyepieces are adjustable from 10 - 50° on the fly, and are usable anywhere in-between, making it easy to adjust for different tasks, operator heights and working conditions. Can be upgraded to a trinocular microscope to meet changing needs in just minutes. 8-50x magnification range, expandable with optional eyepieces and objectives. ESD Safe and RoHS compliant. Stainless-steel ball-bearing glide arms provide smooth movement and precise placement. Matte black finish. Includes LV2000-B 9-bulb LED ring light that provides blended anti-glare white light and dims from 0-100%. 5 Year mechanical warranty.

No. OCW-TKEZ850-LV2 .....\$3995.00



O.C.White Co.

## Pro-Zoom™ Binocular Microscope System

The Ultimate microscope for manufacturing applications. ESD Safe Pro-Zoom™ system features 1.0-6.5x enhanced magnification range and superwide 10x (28mm) eyepieces. Standard magnification range is 5-65x, but can optionally increase up to 390x. Increased standard working distances at higher magnification levels let you view clear, crisp images with the largest zoom range from any manufacturer! Solid brass internal construction. 0.5x auxiliary lens included. Microscope pod features unlimited angle adjustments and moves on our stainless steel double ball bearing arm assembly. System includes high output variable LED Ring Light. All this and a full 5 year guarantee!

No. OCW-TKPZ-LV2 .....\$2290.00



## Prolite® Value-priced choice for quality inspection!

### Binocular Stereo Zoom Systems

Systems include: 45° stereo zoom body, 0.7x – 4.5x, 22mm WF-10x eyepieces with protective eyeguards, 0.5x auxiliary lens, ESD-safe, parfocal zoom. Boom stand is made of stainless steel and ball bearing construction. (China)

Specifications: Optical magnification: 7x-45x;  
Optical field of view: 28.6mm – 4.8mm

#### 0.5 Aux. Lens Specifications:

Optical magnification: 3.5x-22.5x;  
Optical field of view: 57.2mm – 9.6mm



Lab Style Base  
OCV-TKSZ-L-F



Dual Arm Boom  
w/Dimmable  
LED Ring  
OCV-TKSZ-LV2

Cat. No.	Base Style	Lighting Option	Price
OCW-TKSZ-L	Lab Style	None	\$795.00
OCW-TKSZ-L-F	Lab Style	Fluorescent Ring	\$994.00
OCW-TKSZ	Dual Arm Boom	None	\$1581.00
OCW-TKSZ-F-DS	Dual Arm Boom	Fluorescent Ring	\$1780.00
OCW-TKSZ-LV2	Dual Arm Boom	Dimmable LED Ring	\$1980.00
OCW-TKSZ-D	Dual Arm Boom	Fiber Optic Dual Point	\$2205.00
OCW-TKSZ-A-DS	Dual Arm Boom	Fiber Optic Annular Ring	\$2255.00



O.C.White Co.

## LV2000-B LED Ring Light

9-bulb LED fully dimmable ring light. Fits most microscopes. Produces bright, glare-free light comparable to a 150W halogen at a fraction of the cost.

No. OCW-LV2000-B .....\$399.00



## Dimmable Ring Light

Patented microchip dimmable fluorescent technology allows you to control the amount of light. High frequency, electronic ballast with no humming or flickering. Delivers a more natural light that's easier on your eyes. Fits objective lenses up to 2.35".

No. MLI-FV1000 .....\$295.00

No. MLI-FL150 Full Spectrum White Repl. Bulb .....\$40.00



**SAME DAY SHIPPING!**  
Your local California Based Supplier

# Lighting & Magnification

## SCIENSCOPE Stereo Zoom Microscopes and Macro Zoom Video Inspection Systems

### SSZ Series Stereo Zoom Microscopes

The SSZ series features a revolutionary gliding arm boom stand or push-and-stay articulating arm stand. All trinocular models now include image capture with a live-image WSXGA camera or a 3 mega-pixel 2.0 camera.

**Other features include:** Aberration and distortion-free optics; Ergonomic zoom knobs and larger eye pieces for comfortable viewing. 45° Stereo Zoom body, 10x Eyepieces, 0.5x Auxiliary Lens, Ring Light Adapter, ESD-Safe scope cover. **Trinocular Systems also include:** 0.5x Video coupler, Focus mount. (China)

#### Ring Adapter Specs:

- Optical Magnification: 6.7x - 45x
- Video Magnification: 20x - 135x
- Optical Field of View: 32.8mm - 4.9mm
- Video Field of View: 18mm - 2.6mm

#### 0.5 Aux. Lens Specs:

- Optical Magnification: 3.4x - 22.5x
- Video Magnification: 10x - 66x
- Optical Field of View: 65.7mm - 9.8mm
- Video Field of View: 36mm - 5.2mm



SCI-SZ-PK7-LED

### SSZ Binocular Systems

Cat No.	Base Style	Lighting Option	Price
SCI-SZ-PK5-AN	Gliding Arm Boom	LED Fiber Optic Annular Ring	\$2094.00
SCI-SZ-PK5-LED	Gliding Arm Boom	LED Ring	\$1727.00
SCI-SZ-PK3-FR	Articulating Arm	Fluorescent Ring	\$1574.00
SCI-SZ-PK3-LED	Articulating Arm	LED Ring	\$1727.00

### SSZ Trinocular Systems

Cat No.	Base Style	Lighting Option	Video Options	PRICE
SCI-SZ-PK9-AN	Gliding Arm Boom	Fiber Optic Annular Ring	USB Color Camera	\$3255.00
SCI-SZ-PK7-AN	Gliding Arm Boom	Fiber Optic Annular Ring	XGA Camera, 22" LCD Display	\$3779.00
SCI-SZ-PK9-LED	Gliding Arm Boom	LED Ring Light	USB Color Camera	\$2888.00
SCI-SZ-PK7-LED	Gliding Arm Boom	LED Ring Light	XGA Camera, 22" LCD Display	\$3412.00

### Macro Zoom Video Inspection Systems


Specially designed for low magnification applications that benefit from a large field-of-view. Lens set includes adjustable iris and close-up lens to vary magnification, field of view, and working distance.

#### HD Camera System

Features the first affordable High Definition/HDMI camera on the market. 720p at 60 frames per second delivers stunning image clarity to the 23" HD LCD color monitor.

**Includes:** HD camera and monitor, macro zoom lens, LED lighting, and heavy-duty boom stand. Optional image capture available.

No. SCI-MAC-PK5-LED-HD .....\$3100.00



SCI-MAC-PK5-LED-HD

#### USB 2.0 Camera System

**Features:** 3 mega-pixel resolution (2048 x 1536); View and save images to your computer; Power and data transfer indicators. Includes image processing software.

**System includes:** USB 2.0 camera, LED ring light, gliding arm boom stand.

No. SCI-MAC-PK5-LED-U .....\$2236.00

### Simplify Your Work!

#### ELZ Mini Stereo Zoom Microscope

High performance optics and features without the high price tag. Suitable for all industrial electronics and educational inspection applications. Internal mechanics based on dependable SSZ series single spindle design. Sealed microscope body stands up to harsh environments as well as cleanroom use. Compatible with all ScienScope mounting and hardware accessories.

- 20% brighter light transmission and improved image resolution
- Highly durable, reliable microscope body and eyepieces require no maintenance

- Available upgrades for eyepieces, objective lens, light sources and more let you adapt to changing needs

**Eyepieces Inclination:** 60°

**Dioptic Adjustment:** Dual Independent

**Optional Objective Lenses:** 0.5x and 20x


**Optional eyepieces:** 10x, 15x, and 20x

**Objective Magnification Range:** 0.7x to 3x

**Field of View:** 31.4-7.3

**Working Distance:** 100mm

**Interpupillary Adjustment:** 46mm - 76mm



SCI-ELZ-P1

SCI-ELZ-PK3-LED

Cat. No.	Description	Price
A SCI-ELZ-P1	ELZ binocular body; Single arm boom stand; LED adjustable ring light; Focus mount; 10X eyepiece	\$999.00
B SCI-ELZ-PK3-LED-U	Same as above with Articulating Arm	\$1385.00
SCI-ELZ-LA-05	0.5X Objective Lens	\$105.00

## Mantis Stereo Viewing Systems

Mantis combines the viewing ease of bench magnifiers with the high resolution and magnification of a microscope. The large viewing area promotes maximum comfort while producing razor sharp, three dimensional stereo images. Safety or corrective glasses may be worn in comfort during use. A variety of magnification options allows for customization to meet your unique application.

**Mantis Compact and Elite models** are the next generation delivering the latest in optical technology to provide precise, sharp stereo magnification. Mantis Compact excels in low magnification range for inspection or manipulation tasks. Mantis Elite offers a wider, higher performance specification including higher magnification, field of view and working distance plus 25° head tilt capability.

**Features:** Choice of a stand. Counter balanced universal stand with swing arm and quick move G-clamp base or high stability bench stand with integral focus, dimmable substage illumination and a floating stage option.


**Mantis Elite-Cam** is integrated high-resolution USB 2.0 digital camera for image capture and documentation. Features: Permanently engaged digital camera allows simultaneous optical and digital viewing; Image projection capability, easy-to-use PC-based software; Simple image capture allows for storage, reference and electronic communication; Variety of image capture formats, including BMP, JPEG and PNG; Compatible with all Mantis Elite options & accessories

### Mantis Elite and Elite-Cam

Cat. No.	Description	Price
A VEG-MEH-001	Mantis Elite Head	\$1790.00
B VEG-MES-005US	Mantis Elite Universal Stand, Dust Cover, 115V Power Supply	\$770.00
C VEG-MES-006US	Mantis Elite Bench Stand, Dust Cover, 115V Power Supply	\$935.00
D VEG-MEHCAM-001	Mantis Elite-Cam with Digital Camera	\$2350.00
VEG-MEO-004	Mantis Elite Objective X4 Lens	\$180.00
VEG-MEO-006	Mantis Elite Objective X6 Lens	\$395.00
VEG-MEO-008	Mantis Elite Objective X8 Lens	\$545.00
VEG-MEO-010	Mantis Elite Objective X10 Lens	\$560.00
VEG-MEO-015	Mantis Elite Objective X15 Lens	\$635.00
VEG-MEO-025	Elite Disposable Lens Protection Caps for X4, X8, X10 (pack of 4)	\$120.00
VEG-MEO-026	Elite Disposable Lens Protection Caps for X6 (pack of 4)	\$95.00
I VEG-MEF-001US	MFlex Articulated Arm with stand and G-clamp. Extended reach 27.4"	\$1750.00
VEG-MEF-003US	MEF-003US MFlex Articulated Arm only	\$1625.00

### Mantis Compact

Cat. No.	Description	Price
E VEG-MCH-001	Mantis Compact Head	\$1095.00
F VEG-MCS-005US	Mantis Compact Universal Stand, Dust Cover, 115V Power Supply	\$610.00
G VEG-MCS-006US	Mantis Compact Bench Stand, Dust Cover, 115V Power Supply	\$920.00
VEG-MCO-004	Mantis Compact Objective X4 Lens	\$125.00
VEG-MCO-006	Mantis Compact Objective X6 Lens	\$220.00
VEG-MCO-010	Compact Disposable Lens Protection Caps (pack of 4)	\$80.00
I VEG-MCF-001US	MFlex Articulated Arm with stand and G-clamp. Extended reach 27.4"	\$1640.00
VEG-MCF-003US	MFlex Articulated Arm only	\$1525.00



	Objective Lenses	Working Distance	Field of View	Lighting
Elite	X4	96mm	34mm	24 LEDs; 11,000 LUX;
	X6	68mm	23mm	
	X8	59mm	17mm	
	X10	54mm	13.5mm	
	X15	40mm	8.8mm	
Compact	X4	96mm	27.5mm.	20 LEDs; 9,400 LUX
	X6	73mm	19.2mm	
Substage illumination -both models - (bench stand only) 13 LEDs; 1,200-4,000 LUX				

## Accessories and Spare Parts

Cat. No.	Description	Price
VEG-MS-001	MS-001 Floating Stage	\$395.00
J VEG-MF-005	MF-005 MFlex Articulated Arm Extension (extends reach to 33.3"	\$350.00
H VEG-MF-006	MF-006 Mantis Wheeled Floor Stand with Weighted Base	\$1980.00

Cat. No.	Description	Price
VEG-MS-003	MS-003 Repl. Dust Cover	\$32.00
VEG-MCLED-001	MCLED-001 Repl. LED Array, Compact	\$175.00
VEG-MELED-001	MELED-001 Repl. LED Array, Elite, Left Side	\$95.00
VEG-MELED-002	MELED-002 Repl. LED Array, Elite, Right Side	\$95.00
VEG-MELED-003	MELED-003 Repl. LED Array, Bench Stand	\$200.00

# Lighting & Magnification



O.C.White Co.

## Largest round magnifier on the market! LED Magnilite® Magnifiers

These ESD-safe magnifiers push the limits of technology by combining an 8W (12 LED) array for incredible light output with cutting-edge design. All models feature an exclusive 4 diopter (2X) optical quality glass lens, a stylish thin shade that allows maximum viewing and durable all-metal construction.

The LED's never need replacing – eliminating maintenance and speeding up your return on investment. New Smart-Lite button gives you precise control over light intensity and remembers your settings. Programmable energy saving mode shuts down lighting after four hours (user activated). You can even program 5 different directional light settings for contrast lighting. Clamp-on base mounting. 43" arm length. 10-Year Mechanical Warranty. (USA) All models available in 8 custom colors.



### Vision-Lite® Magnifiers

Full dimmable light control. 7" x 5.25"

Cat. No	Color	Price
OCW-82400-4-SW	Shadow White	\$479.00
OCW-82400-4-CB	Carbon Black	\$479.00
OCW-82400-4-*	Custom Color	\$479.00

\*To order one of the custom colors below add the code letter of the color to part number 82400-4-\* (See chart below)

### Big Eye™ LED Magnifiers

Industry's largest round lens. 7.5" diameter

Cat. No	Color	Price
OCW-62400-4-SW	Shadow White	\$439.00
OCW-62400-4-CB	Carbon Black	\$439.00
OCW-62400-4-*	Custom Color	\$439.00

\*To order one of the custom colors below add the code letter of the color to part number 62400-4-\* (See chart below)

### LED Illuminated Magnifiers - 6" Round

44% larger viewing area than standard magnifiers.

Cat. No	Color	Price
OCW-42400-4-SW	Shadow White	\$379.00
OCW-42400-4-CB	Carbon Black	\$379.00
OCW-42400-4-*	Custom Color	\$379.00

\*To order one of the custom colors below add the code letter of the color to part number 42400-4-\* (See chart below)

Patent Pending

#### Standard Colors

Shadow White
Carbon Black

#### Custom Colors

R	B	O	C	G	S	W	Y
Blaze Red	Spectre Blue	Brilliant Orange	Charcoal Mist	Racing Green	Silver	Medical White	Blazing Yellow
OCW-82400-4-R	OCW-82400-4-B	OCW-82400-4-O	OCW-82400-4-C	OCW-82400-4-G	OCW-82400-4-S	OCW-82400-4-W	OCW-82400-4-Y
OCW-62400-4-R	OCW-62400-4-B	OCW-62400-4-O	OCW-62400-4-C	OCW-62400-4-G	OCW-62400-4-S	OCW-62400-4-W	OCW-62400-4-Y
OCW-42400-4-R	OCW-42400-4-B	OCW-42400-4-O	OCW-42400-4-C	OCW-42400-4-G	OCW-42400-4-S	OCW-42400-4-W	OCW-42400-4-Y



Free 10 Diopter "Swing-A-Way" Lens included

### Vision-Lite®

Includes one of the largest (7.5" x 6.2") and clearest 3 diopter (1.75X) lenses available. MIL-STD-2000 approved and ESD safe. Mounted on an industrial quality arm assembly. 10-yr. mechanical warranty.

- Swivel allows magnifier to rotate. Magnifier can be mounted on side of work bench and still provide optimum comfort, flexibility and accessibility.

No. OCW-72400	Vision-Lite®	\$459.00
No. OCW-13392	Replacement Bulb	\$36.00

### Prolite® DMSC Series Magnifier

- 3 Diopter (1.75x) Optical Quality Lens
- 5" Round Viewing Area
- 22 Watt Glare Free "FULL SPECTRUM" Bulb
- Magnifier with Table Clamp Base Assembly

A. No. OCW-DMSC-B	Black	\$199.00
No. OCW-DMSC-W	White	\$199.00

### Prolite® DMXLC Series Magnifier

- 3 Diopter (1.75x) Optical Quality Lens
- 7.5" x 6.2" Viewing Area
- Magnifier with Table Clamp Base Assembly
- 13 Watt DUAL Glare Free "Full Spectrum" Bulbs
- Independent Bulb control with Vented Bulb Shields

No. OCW-DMXLC-B	Black	\$249.00
B. No. OCW-DMXLC-W	White	\$299.00

# Lighting & Magnification




KFM  
Magnifier

The right light



WAVE+  
Magnifier

UV Handheld  
Magnifier



IFM  
Magnifier

## KFM Illuminated Magnifier Lamps

Combines a 22W circular fluorescent light with a 5" diameter, 3 or 5 diopter optical quality magnifying lens, housed in a sturdy diecast metal shade with internal spring arm. Comes with 3-conductor cord and 22W circular fluorescent tube. UL/CUL listed.

Cat. No	Description	Reach	Color	Base	Price
LUX-17113LG	3 Diopter	45"	Light Gray	Clamp-on	\$245.00
LUX-17115LG	5 Diopter	45"	Light Gray	Clamp-on	\$255.00
LUX-17213LG	3 Diopter	30"	Light Gray	Clamp-on	\$245.00
LUX-17253LG	3 Diopter	30"	Light Gray	Weighted	\$305.00
LUX-31640	Replacement Bulb				\$14.00

## WAVE+ 5 Diopter Magnifiers

This 5 diopter rectangular precision-ground white crown glass lens provides a focal length of 13" for distortion-free lens viewing. 6.75" x 4.5" lens provides 2.25" magnification. Two independently controlled 13-watt compact fluorescent bulbs provide shadow-free illumination and a heavy-duty 45" or 30" K-arm with 5" square steel tubing keeps the magnifier positioned exactly where needed. Available with standard and ESD-safe lenses. ESD models have a surface resistivity of  $10^6 - 10^7 \Omega/\text{sq}$ . Magnifier arms are powder coated with a  $10^{10} \Omega/\text{sq}$ . metal-laced paint.

Cat. No	Description	Reach	Color	Base	Price
LUX-17947LG	Standard	30"	Light Gray	Base Mount	\$430.00
LUX-17946LG	Standard	30"	Light Gray	Edge Clamp	\$360.00
LUX-17945LG	Standard	45"	Light Gray	Edge Clamp	\$360.00
LUX-17910BK	ESD-Safe	45"	Black	Edge Clamp	\$550.00

## WAVE+Plus Illuminated Magnifier

Provides 1.85X power magnification across 6-3/4" x 4-1/2" area. Dual 13-watt quad compact fluorescent lamps permit 3D viewing. Both bulbs provide shadow-free illumination. Includes clamp-on bracket and 3-conductor cord set. 45" reach arm. UL/CUL listed.

Cat. No	Description	Color	Base	Price
LUX-17845BK	3.5 Diopter Magnifier	Black	Clamp-on	\$350.00
LUX-17845LG	3.5 Diopter Magnifier	Light Gray	Clamp-on	\$350.00
LUX-17900BK	3.5 Diopter ESD Magnifier	Black	Clamp-on	\$540.00

## UV Handheld Magnifier

For inspection of conformal coatings. Coatings glow brilliantly under UV black illumination, especially when magnified through a five-diopter (2.25X) optical quality glass lens. Ideal for the inspection of welds, solder joints, flux residues and hairline stress cracks. Wide rectangular 4" x 2.5" viewing area. Light Gray. No. LUX-16401GY .....\$282.00

## IFM Magnifier

An ideal medium-duty illuminated magnifier perfect for the economical user. Features a 5" diameter lens in either 3-diopter (1.75X) or 5-diopter (2.25X) models. Edge clamp mount. Both models include a lamp diffuser cover, 3-wire cord, a 22-watt fluorescent tube which provides shadow-free illumination. Operates on 115VAC. UL/CUL listed.

Cat. No	Description	Reach	Color	Base	Price
LUX-16345LG	3 Diopter	45"	Light Gray	Clamp-on	\$137.00
LUX-16346LG	5 Diopter	45"	Light Gray	Clamp-on	\$147.00



**ELECTRIX**

## Fluorescent Lighted Magnifiers

Features a 5" diameter optical quality glass lens with 5 diopter lens. Magnifier head swivels on 3 axis points to position for maximum operator comfort. 45" professional reach, adjustable clamp, 22 watt Circline lamp, 9' grounded cord and plug. No. ELI-7122 .....\$204.58

## Waldmann W

### Omnivue 319 Magnifier

Magnifying lens tilts independently from the light source for optimum glare-free positioning. The 3 diopter magnifying lens made from optical quality glass and the industrial grade clamp make this ideal for production, assembly and inspection applications. Three 9 watt PL-S compact fluorescent lamps required.



No. WAD-118-790-000	Omnivue 319 .....	\$455.00
No. WAD-190-080-029	13-Diopter Add-On Lens.....	\$110.00
No. WAD-190-080-019	Add-X Lens 4d .....	\$91.00
No. WAD-191-025-019	Clamp .....	\$39.00